

INCIDENT RADIO COMMUNICATIONS PLAN			Incident Name Silverton Ultra Marathon			Date/Time Prepared 8/01/18			Operational Period Date/Time 8/11/18 0600 - 8/12/18 0400		
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks		
1	Primary	Kendall Repeater	Operations	147.375 W	CSQ	147.975 W	156.7	A	Main Channel		
2	Primary Direct	Kendall Direct	Operations	147.375 W	CSQ	147.375 W	NA	A	If Kendal Rptr fails		
3	Secondary	VHF Simplex 1	Operations	146.400 W	CSQ	146.400 W	100.0	A	For AS1 AS5 AS6		
4	Secondary	Hazelton UHF	Operations	444.000 W	CSQ	449.000 W	67.0	A	HQS use only		
5	Station 2 Alt	UHF Simplex 1	Standby	445.525 W	CSQ	445.525 W	NA	A	Bandera XBand Rptr		
6	Station 3,4 Alt	VHF Simplex 2	Standby	147.540 W	CSQ	147.540 W	100.0	A	Coal Bank XBand Rptr		
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
Prepared by (Communications Unit) C. Deputy Comm Supv					Incident Location Silverton County San Juan State CO Latitude N Longitude W						

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.